Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Li	63	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and 375/149-152 ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/12 10:34
L2	4	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS or satellite) and (dither\$2 with code) and 375/149-152.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/12 10:35
L3	Ö	@ad<"19991112" and ((long adj code) or (P adj code)) and (GPS or satellite) and (dither\$2 with code) and 375/343 ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/12 10:36
L4	1	@ad<"19991112" and ((long adj code) or (P adj code)) and (GPS or satellite) and (dither\$2 with code) and 380/274.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/12 10:36
L5	1	@ad<"19991112" and ((long adj code) or (P. adj code)) and (GPS or satellite) and (dither\$2 with code) and 368/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/12 10:36
L6	1	@ad<"19991112" and ((long adj code) or (P adj code)) and (GPS or satellite) and (dither\$2 with code) and 714/701.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/12 10:36
S1	593	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/13 09:34
S2	103	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and 375/140-153. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/12 10:34
S3	13	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and dither and 375/140-153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/09 15:32
S4	18	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and (dither\$2 with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/09 15:59

\$5	19	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS or satellite) and (dither\$2 with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/12 10:35
S6	14	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS adj receiv\$3) and (dither\$2 with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/10 12:04
S7	127	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS or CDMA) and (correlat\$3 with add\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/10 12:05
S8	86	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS or CDMA) and (correlat\$3 with add\$3) and "375"/\$ ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/10 12:05
S 9	73	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS or CDMA) and (correlat\$3 with add\$3) and 375/140-153. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/10 12:13
S10	0	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS or CDMA) and (correlat\$3 ti. with add\$3) and 375/140-153 cels.	US-PGPUB, USPAT, EPO; JPO; DERWENT ; IBM TDB	OR	ON	2004/01/10 12:06
S11	0	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS or CDMA) and (correlat\$3.ti. with add\$3) and "375"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/10 12:06
S12	0.	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS or CDMA) and (correlat\$3:ti. with add\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM TDB	OR	ON	2004/01/10 12:06
S13	33	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and (correlat\$3 with add\$3) and 375/140-153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/10 12:08
S14	0	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and "correlator.ti" and 375/140-153.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/10 12:12

S15	0	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and "correlator.ti"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/10 12:09
S16	9	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and correlator ti	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/10 12:09
S17	5	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and correlator.ti. and 375/140-153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/10 12:12
S18	0	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS or CDMA) and (correlat\$3 ti. with add\$3) and 375/140-153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/10 12:13
S19	0	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS or CDMA) and (correlat\$3.ti. with add\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20 12:41
\$20	3	@ad<="19991112" and (((long adj code) or (P adj code)) same (correlat\$3 with add\$3)) and GPS and 375/140-153.ccls.	US-PGPUB, USPAT, EPO; JPO; DERWENT ; IBM TDB	OR	ON	2004/01/13 10:58
S21	1	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and (dither\$3 adj pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM TDB	OR	ON	2004/01/13 10:11
S22	14	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and (tau adj dither)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM TDB	OR	ON	2004/01/13 10:11
S23	0	@ad<="19991112" and (correlat\$3 with add\$3) and (match with filter with delay) and GPS and "375"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/13 10:59
S24	2	@ad<="19991112" and (correlat\$3 with add\$3) and (match with filter with delay) and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/13 11:01

S25	4	@ad<="19991112" and correlat\$3 and (match with filter with delay) and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/13 11:05
S26	33	@ad<="19991112" and correlat\$3 and ((matched adj filter) with delay) and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/13 11:23
S27	0	@ad<="19991112" and (maximum adj finder) and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/13 11:24
S28	180	@ad<="19991112" and (maximum with reigster wiht comparator with multiplexer) and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/13 11:24
S29	318	@ad<="19991112" and (maximum with register wiht comparator with multiplexer) and GPS	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/01/13 11:25
S30	19	@ad<="19991112" and (maximum with register wiht comparator with multiplexer) and GPS and "375"/\$.ccls.	US-PGPUB, USPAT, EPO; JPO; DERWENT ; IBM TDB	OR	ON	2004/01/13 11:56
S31	24	@ad<="19991112" and (correlat\$3 or (matched adj filter)).ti. and (maximum with register with comparator with multiplexer) and "375"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM TDB	OR	ON	2004/01/13 11:57
S32	3	@ad<="19991112" and ((long adj code) or (P adj code)) and (GPS or CDMA) and (maximum adj likelihood adj decoder)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20 12:44
S33	0	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and (maximum adj likelihood adj decoder)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20 12:44
S34	0	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and ((modulo adj counter) with adder)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20 12:45

S35	4	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and (modulo with counter with adder)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20 12:48.
S36	0	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and (matched adj filter).ti. and (modulo adj counter adj adder)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20:12:48
S37		@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and (matched adj filter).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20 12:49
S38	0	@ad<="19991112" and ((long adj code) or (P adj code)) and GPS and ((matched adj filter) same modulo same counter same adder)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20:12:50
S 39	0	@ad<="19991112" and ((long adj code) or (P adj code)) and ((matched adj filter) same modulo same counter same adder)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20 12:50
S40	0	@ad<="19991112" and ((long adj code) or (P adj code)) and ((matched adj filter) same counter same adder)	US-PGPUB, USPAT, EPO; JPO; DERWENT , IBM TDB	OR	ON	2004/04/20 12:51
S41	8	@ad<="19991112" and ((long adj code) or (P adj code)) and (match\$3 adj filter) and (modulo same counter same adder)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM TDB	OR	ON	2004/04/20 13:01
S42	37	@ad<="19991112" and (((long adj code) or (P adj code)) adj receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20:13:21
S43	0	@ad<="19991112" and ((long adj code) or (P adj code)) and latch ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20 13:21
S44	456	@ad<="19991112" and (((long adj code) or (P adj code)) same (correlat\$3 or (match\$3 adj filter)))	US-PGPUB, USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20 13:22

S45	1	@ad<="19991112" and (((long adj code) or (P adj code)) same (correlat\$3 or (match\$3 adj filter)) same adder same delay)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20 13:28
S46	8	@ad<="19991112" and terashima-kazuhiko.in	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/20:13:29
S47	2	("6205168").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/04/20 13:29
S48	1	"6038250".PN	USPAT	OR	OFF	2004/04/20 13:31
S49	1	"5790588".PN.	USPAT	OR ·	OFF	2004/04/20 13:34
S50	1	"5910948".PN.	USPAT	OR	OFF	2004/04/20 13:34
S51	1	"5914943".PN.	USPAT	OR	OFF	2004/04/20 13:35
S52	1	"5930290".PN.	USPAT	OR	OFF	2004/04/20 13:36
S53	1	"6038250" PN.	USPAT	OR	OFF	2004/04/20 13:37
S54	1	"6205168".PN.	USPAT	OR	OFF	2004/04/20 13:37
S55	1	"5790588".PN.	USPAT	OR	OFF	2004/04/20 15:36
S56	1	"5910948".PN.	USPAT	OR	OFF	2004/04/20 15:37
S57	1	"5914943".PN.	USPAT	OR	OFF	2004/04/20 15:37
S58	1	"6038250".PN	USPAT	OR	OFF	2004/04/20 15:37
S59	1	"6205168".PN.	USPAT	OR	OFF	2004/04/20 15:38